

```
error executing template "Designs\ncnielsen\_parsed\pdf-used-machine.parsed.cshtml"
System.NullReferenceException: Object reference not set to an instance of an object.
   at CompiledRazorTemplates.Dynamic.RazorEngine_6db1faefc06f4d5d91b592d82df7b86c.Execute() in D:\dynamicweb.net\Solutions\Gotcha\ncn.dw9.dynamicweb-cms.com\files\Templates\Designs\ncnielsen\_parsed\pdf-used-machine
   at RazorEngine.Templating.TemplateBase.RazorEngine_6db1faefc06f4d5d91b592d82df7b86c.Execute() in D:\dynamicweb.net\Solutions\Gotcha\ncn.dw9.dynamicweb-cms.com\files\Templates\Designs\ncnielsen\_parsed\pdf-used-machine
   at RazorEngine.Templating.TemplateBase.RazorEngine.Templating.ITemplate.Run(ExecutionContext context, TextWriter reader)
   at RazorEngine.Templating.RazorEngineService.RunCompile(ITemplateKey key, TextWriter writer, Type modelType, Object model, DynamicViewBag viewBag)
   at RazorEngine.Templating.RazorEngineServiceExtensions.<_c__DisplayClass16_0.>.RunCompile_b__0(TextWriter writer)
   at RazorEngine.Templating.RazorEngineServiceExtensions.WithWriter(Action`1 withWriter)
   at Dynamicweb.Rendering.RazorTemplateRenderingProvider.Render(Template template)
   at Dynamicweb.Rendering.TemplateRenderingService.Render(Template template)
   at Dynamicweb.Rendering.Template.RenderRazorTemplate()
```

```
1
2 @inherits Dynamicweb.Rendering.RazorTemplateBase<Dynamicweb.Rendering.RazorTemplateModel<Dynamicweb.Rendering.Template>>
3 @using Dynamicweb
4 @using Dynamicweb.Environment
5 @using Gotcha.NCnielsen.API;
6 @using Gotcha.NCnielsen.Business;
7
8 <!DOCTYPE html>
9 <html lang="@GetString("LongLang")">
10 @
11     string istouch = "False";
12
13     string jsEditDate = System.IO.File.GetLastWriteTime(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/js/ncnielsen.min.js")).ToString();
14     jsEditDate = jsEditDate.Replace(":", "").Replace(" ", "").Replace("-", "");
15
16     if (GetGlobalValue("Global:Device.IsTablet").ToString() == "True" || GetGlobalValue("Global:Device.IsMobile").ToString() == "True")
17     {
18         istouch = "True";
19     }
20
21     string templateName = GetGlobalValue("Global:Pageview.LayoutTemplate").Replace("test.", "").Replace(".cshtml", "").Replace(".html", "").Replace(".", "");
22
23     string UMID = "-1";
24     string productID = "-1";
25
26     if (System.Web.HttpContext.Current.Request.QueryString["UMID"] != null)
27     {
28         UMID = System.Web.HttpContext.Current.Request.QueryString["UMID"];
29     }
30
31     if (System.Web.HttpContext.Current.Request.QueryString["ProductID"] != null)
32     {
33         productID = System.Web.HttpContext.Current.Request.QueryString["ProductID"];
34     }
35
36     string language = "dan";
37
38     if (Pageview.Area.ID == 3)
39     {
40         language = "enu";
41     }
42     else if (Pageview.Area.ID == 4)
43     {
44         language = "sve";
45     }
46     else if (Pageview.Area.ID == 5)
47     {
48         language = "nor";
49     }
50
51     ProductModel productModel = ProductFacade.GetProductModel(UMID, language);
52     string pdfDownloadLink = System.Web.HttpContext.Current.Request.Url.PathAndQuery;
53
54     if (pdfDownloadLink.Contains("?"))
55     {
56         pdfDownloadLink += "&";
57     }
58     else
59     {
60         pdfDownloadLink += "?";
61     }
62
63     if (UMID != "-1" && productModel.HasProduct)
64     {
65         pdfDownloadLink += "layoutTemplate=pdf-used-machine.cshtml&pdf=true&filename=" + productModel.Product.Name.ToLower().Replace(" ", "_").Replace("/", "-") + ".pdf";
66     }
67     else if (productID != "-1")
68     {
69         Dynamicweb.Ecommerce.Products.ProductService ps = new Dynamicweb.Ecommerce.Products.ProductService();
70         Dynamicweb.Ecommerce.Products.Product p = ps.GetProductById(productID, "", true);
71
72         pdfDownloadLink += "layoutTemplate=pdf-used-machine.cshtml&pdf=true&filename=" + p.Name.ToLower().Replace(" ", "_").Replace("/", "-") + ".pdf";
73     }
74 }
75 <head>
76 <meta charset="@GetString("CharSet")">
77 <title>@GetValue("Title")</title>
78 @if (System.Web.HttpContext.Current.Request.Url.Host.Contains(".by.gotcha.dk"))
79 {
80     <meta name="robots" content="noindex,nofollow">
81
82     <meta name="viewport" content="width=device-width, initial-scale=1.0">
83     @GetString("MetaTags")
84     @if (System.Web.HttpContext.Current.Request.Cookies["ncnielsen-styles"] != null || System.Web.HttpContext.Current.Request.QueryString["oldschoolcss"] != null)
85     {
86         <link rel="stylesheet" href="/Files/Templates/Designs/ncnielsen/css/ncnielsen.min.css" id="style1" media="screen">
87     }
88     else
89     {
90         if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/css/" + templateName + ".critical.css")))
91         {
92             <text>@System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/css/" + templateName + ".critical.css"))</text>
93         }
94         else
95         {
96             <link rel="stylesheet" href="/Files/Templates/Designs/ncnielsen/css/ncnielsen.min.css" id="style2" media="screen">
97         }
98     }
99 <link rel="preload" href="/Files/Templates/Designs/ncnielsen/fonts/35C9D3_0_0.woff2" as="font" type="font/woff2" crossorigin="">
100 <link rel="preload" href="/Files/Templates/Designs/ncnielsen/fonts/35C9D3_0_0.woff" as="font" type="font/woff" crossorigin="">
101 <link rel="preload" href="/Files/Templates/Designs/ncnielsen/fonts/35C9D3_1_0.woff2" as="font" type="font/woff2" crossorigin="">
102 <link rel="preload" href="/Files/Templates/Designs/ncnielsen/fonts/35C9D3_1_0.woff" as="font" type="font/woff" crossorigin="">
103 <link rel="preload" href="/Files/Templates/Designs/ncnielsen/fonts/24cac6da-66aa-48cc-b950-fcadf2b76ec5.woff2" as="font" type="font/woff2" crossorigin="">
104 <link rel="preload" href="/Files/Templates/Designs/ncnielsen/fonts/bd659a5c-378a-4055-80a1-69bc94044bac.woff" as="font" type="font/woff" crossorigin="">
105 <link rel="preload" href="/Files/Templates/Designs/ncnielsen/fonts/4e27b36d-615c-41eb-baf6-a3095eb585f5.woff2" as="font" type="font/woff2" crossorigin="">
106 <link rel="preload" href="/Files/Templates/Designs/ncnielsen/fonts/9805cfa5-519d-4bfb-82af-f6e07c275f94.woff" as="font" type="font/woff" crossorigin="">
107 @RenderSnippet("csstop")
108 </head>
109 <body data-is-touch="@istouch" data-is-mobile="@GetGlobalValue("Global:Device.IsMobile")" data-is-tablet="@GetGlobalValue("Global:Device.IsTablet")" data-is-desktop="@GetGlobalValue("Global:Device.IsDesktop")">
110 <div id="pagewrap">
111     <nav id="navigation">
112         <a href="/" id="logo">
113             @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/nc_nielsen_logo.svg")))
114             {
115                 <text>@System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/nc_nielsen_logo.svg"))</text>
116             }
117         </a>
118         @GetValue("Dwnavigation(primaryNavigation)")
119         <a id="burger">
120             <span class="icon icon-burger">
121                 @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-burger.svg")))
122                 {
123                     <text>@System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-burger.svg"))</text>
124                 }
125             </span>
126         </a>
127         @if (!string.IsNullOrEmpty(GetString("Ecom.Order.OrderLines.TotalProductQuantity")))
128         {
129             <span class="cart mobile-cart">
130                 <a>
131                     @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-cart.svg")))
132                     {
```

```
134     <span class="icon icon-cart">@System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-cart.svg"))</span>
135     </span>
136     <span class="cart-count">
137         @GetString("Ecom:Order.OrderLines.TotalProductQuantity")
138     </span>
139 </a>
140 </span>
141 }
142 <ul id="secondaryNavigation">
143     @if (!string.IsNullOrEmpty(GetString("Ecom:Order.OrderLines.TotalProductQuantity")))
144     {
145         <li class="cart">
146             <a>
147                 @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-cart.svg")))
148                 {
149                     <span class="icon icon-cart">@System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-cart.svg"))</span>
150                 }
151                 <span class="cart-count">
152                     @GetString("Ecom:Order.OrderLines.TotalProductQuantity")
153                 </span>
154             </a>
155         </li>
156     }
157     <li>
158         <a data-modal-trigger="modalLanguages">
159             @foreach (var wl in GetLoop("WebsiteLanguages"))
160             {
161                 if (wl.GetBoolean("IsCurrent"))
162                 {
163                     <text>@Translate("Translate_Language_selector_" + wl.GetString("Culture") + "_short")</text>
164                 }
165             }
166         </a>
167     </li>
168     <li>
169         <a href="/Default.aspx?ID=@GetString("Item.Area.LoginPageId")">
170             @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-lock.svg")))
171             {
172                 <span class="icon icon-lock">@System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-lock.svg"))</span>
173             }
174         </a>
175     </li>
176     <li>
177         <a data-modal-trigger="modalSearch">
178             @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-search.svg")))
179             {
180                 <span class="icon icon-search">@System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-search.svg"))</span>
181             }
182         </a>
183     </li>
184 </ul>
185 <div id="burgerNavigation">
186     <span class="burger-close">
187         @Translate("Translate_Modal_Luk")
188     <span class="icon icon-close">
189         @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-close.svg")))
190         {
191             <text>@System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-close.svg"))</text>
192         }
193     </span>
194     @GetValue("DwNavigation(burgerNav)")
195     <div class="social">
196         <span class="header">@Translate("Translate_Foelg_os")</span>
197         @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-facebook.svg"))) && !string.IsNullOrEmpty(GetString("Item.Area
198         {
199             <a href=@GetString("Item.Area.Facebook")' class="icon icon-facebook" target="_blank">
200                 @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-facebook.svg"))
201             </a>
202         }
203         @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-linkedin.svg"))) && !string.IsNullOrEmpty(GetString("Item.Area
204         {
205             <a href=@GetString("Item.Area.Linkedin")' class="icon icon-linkedin" target="_blank">
206                 @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-linkedin.svg"))
207             </a>
208         }
209         @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-youtube.svg"))) && !string.IsNullOrEmpty(GetString("Item.Area
210         {
211             <a href=@GetString("Item.Area.YouTube")' class="icon icon-youtube" target="_blank">
212                 @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-youtube.svg"))
213             </a>
214         }
215     </div>
216 <div id="burgerBottom">
217     @if (Pageview.Area.ID == 1)
218     {
219         string burgerLoginHref = "/Default.aspx?ID=" + GetString("Item.Area.LoginPageId");
220     }
221     <a href="@burgerLoginHref">
222         @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-lock.svg")))
223         {
224             <span class="icon icon-lock">
225                 @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-lock.svg"))
226             </span>
227         }
228     </a>
229 }
230 <a data-modal-trigger="modalSearch">
231     @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-search.svg")))
232     {
233         <span class="icon icon-search">
234             @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-search.svg"))
235         </span>
236     }
237 </a>
238 <a data-modal-trigger="modalLanguages">
239     <span>
240         @foreach (var wl in GetLoop("WebsiteLanguages"))
241         {
242             if (wl.GetBoolean("IsCurrent"))
243             {
244                 <text>@Translate("Translate_Language_selector_" + wl.GetString("Culture") + "_short")</text>
245             }
246         }
247     </span>
248 </a>
249 </div>
250 </nav>
251 <header id="header">
252     <div id="productGalleryImageMain">
253         @if (UMID != "-1")
254         {
255             if (productModel.HasProduct)
256             {
257                 string approvedValue = productModel.Product.GetSpecificationValue<string>("M-0090550", "-");
258             }
259             <h1 data-test="test">@productModel.Product.Name</h1>
260             if (productModel.Product.ImageList.Count() > 1)
261             {
262                 <div class="gallery">
263                     @foreach (var img in productModel.Product.ImageList)
264                     {
265                         if (counter == 0)
266                         {
267                             <div class="gallery-large">
268                                 <div class="image js-active">
269                                     <img src=@img.Value alt=@img.Key' >
270                                 </div>
271                                 <div class="image second-image"></div>
272                                 @if (approvedValue != "-")
273                                 {
274                                     <div class="image second-image"></div>
275                                 }
276                             </div>
277                         }
278                     }
279                 </div>
280             }
281         }
282     </div>
283 </header>
284 </div>
```

```
279         <span class="approved">@productModel.Product.Make @approvedValue</span>
280     }
281 </div>
282 <div class="gallery-small js-active">
283     <img src=@img.Value alt=@img.Key'>
284 </div>
285 }
286 else
287 {
288     <div class="gallery-small">
289         <img src=@img.Value alt=@img.Key'>
290     </div>
291 }
292 }
293 counter++;
294 }
295 }
296 </div>
297 }
298 else if (productModel.Product.ImageList.Count() == 1)
299 {
300     foreach (var img in productModel.Product.ImageList)
301     {
302         <div>
303             <img src=@img.Value alt=@img.Key'>
304             @if (approvedValue != "-")
305             {
306                 <span class="approved">@productModel.Product.Make @approvedValue</span>
307             }
308         </div>
309     }
310 }
311 else if (productModel.Product.ImageList.Count() == 0)
312 {
313     <div>
314         
315         @if (approvedValue != "-")
316         {
317             <span class="approved">@productModel.Product.Make @approvedValue</span>
318         }
319     </div>
320 }
321 }
322 else
323 {
324     <h1>@Translate("Translate_Used_machine_not_found")</h1>
325     <div>
326         
327     </div>
328 }
329 }
330 else
331 {
332     <text>@RenderSnippet("ChosenUsedMachineGallery")</text>
333 }
334 </div>
335 <div class="content">
336     @if (productModel.HasProduct)
337     {
338         <a href=@pdfDownloadLink target="_blank" id="usedMachineSavePdf">
339             @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-pdf.svg")))
340             {
341                 <span class="icon icon-pdf">
342                     @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-pdf.svg"))
343                 </span>
344             }
345             <span class="text">
346                 @Translate("Translate_Gem_som_PDF")
347             </span>
348         </a>
349     }
350     @if (UMID != "-1")
351     {
352         if (productModel.HasProduct)
353         {
354             <div class="specifications">
355                 <span class="header">@Translate("Translate_Specifikationer")</span>
356                 <ul>
357                     <li class="specification">
358                         <span class="label">@Translate("Translate_Intern_nummer")</span>
359                         <span class="value">@productModel.Product.Id</span>
360                     </li>
361                     <li class="specification">
362                         <span class="label">@Translate("Translate_Aargang")</span>
363                         <span class="value">@productModel.Product.Year</span>
364                     </li>
365                     @if (productModel.Product.SpecificationList.Count() > 10)
366                     {
367                         for (var a = 0; a < 10; a++)
368                         {
369                             if (
370                                 @productModel.Product.SpecificationList[a].Id != "M-0090570" &&
371                                 @productModel.Product.SpecificationList[a].Id != "M-0090565"
372                             )
373                             {
374                                 <li class="specification"><span class="label">@productModel.Product.SpecificationList[a].Label</span> <span class="value">@productModel.Product.SpecificationList[a].Value</span></li>
375                             }
376                         }
377                     }
378                     else
379                     {
380                         foreach (var spec in productModel.Product.SpecificationList)
381                         {
382                             if (
383                                 spec.Id != "M-0090570" &&
384                                 spec.Id != "M-0090565"
385                             )
386                             {
387                                 <li class="specification"><span class="label">@spec.Label</span> <span class="value">@spec.Value</span></li>
388                             }
389                         }
390                     }
391                 </ul>
392                 @if (productModel.Product.SpecificationList.Count() > 10)
393                 {
394                     <div>
395                         <a id="allSpecificationsLink" class="button button-inline">@Translate("Translate_Se_alle_specifikationer")</a>
396                     </div>
397                 }
398                 <a id="usedMachineRequestButton" class="button button-primary">
399                     <span class="text">@Translate("Translate_Prisforespoergsel")</span>
400                 </a>
401             </div>
402             <div id="usedMachinesRequestForm">
403                 @{
404                     int formParagraphID = -1;
405                 }
406                 try
407                 {
408                     formParagraphID = Convert.ToInt32(Pageview.Area.Item["UsedMachinesRequestParagraph"]);
409                 }
410                 catch
411                 {
412                 }
413             }
414             if (formParagraphID != -1)
415             {
416                 <text>@RenderParagraphContent(formParagraphID)</text>
417             }
418         }
419     }
420     @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-close.svg")))
421     {
422         <span class="icon icon-close">
```

```

424         @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-close.svg"))
425     }
426 }
427 }
428 }
429 else
430 {
431     <div class="specifications">
432     </div>
433 }
434 }
435 }
436 }
437 {
438     <text>@RenderSnippet("ChosenUsedMachineHeaderSpecifications")</text>
439     <div id="usedMachinesRequestForm">
440         @if (
441             int formParagraphID = -1;
442             try
443             {
444                 formParagraphID = Convert.ToInt32(Pageview.Area.Item["UsedMachinesRequestParagraph"]);
445             }
446             catch
447             {
448             }
449         )
450         if (formParagraphID != -1)
451         {
452             <text>@RenderParagraphContent(formParagraphID)</text>
453         }
454     }
455     @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-close.svg")))
456     {
457         <span class="icon icon-close">
458             @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-close.svg"))
459         </span>
460     }
461 </div>
462 }
463 }
464 <div class="social">
465 <a href='tel:@Translate("Translate_Brugte_maskiner_kontakt_telefonnr")' class="button button-secondary">
466     <span class="text">@Translate("Translate_Kontakt_os_paa")</span>
467 </a>
468 <span class="header">Følg os</span>
469 @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-facebook.svg")) && !string.IsNullOrEmpty(Pageview.Area.Item["
470     {
471     <a href='@Pageview.Area.Item["Facebook"]' class="icon icon-facebook" target="_blank">
472         @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-facebook.svg"))
473     </a>
474     }
475 @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-linkedin.svg")) && !string.IsNullOrEmpty(Pageview.Area.Item["
476     {
477     <a href='@Pageview.Area.Item["LinkedIn"]' class="icon icon-linkedin" target="_blank">
478         @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-linkedin.svg"))
479     </a>
480     }
481 @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-youtube.svg")) && !string.IsNullOrEmpty(Pageview.Area.Item["
482     {
483     <a href='@Pageview.Area.Item["YouTube"]' class="icon icon-youtube" target="_blank">
484         @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-youtube.svg"))
485     </a>
486     }
487 </div>
488 </div>
489 </header>
490 @if (UMID != "-1")
491 {
492     if (productModel.HasProduct)
493     {
494         if (productModel.Product.SpecificationList.Count() > 10)
495         {
496             <section id="allSpecifications" class="section section-white">
497                 <div class="content">
498                     <div class="specifications">
499                         <h2>@Translate("Translate_Alle_specifikationer")</h2>
500                         <ul>
501                             <li class="specification">
502                                 <span class="label">@Translate("Translate_Intern_nummer")</span>
503                                 <span class="value">@productModel.Product.Id</span>
504                             </li>
505                             <li class="specification">
506                                 <span class="label">@Translate("Translate_Aargang")</span>
507                                 <span class="value">@productModel.Product.Year</span>
508                             </li>
509                             @foreach (var spec in productModel.Product.SpecificationList)
510                             {
511                                 if (
512                                     spec.Id != "M-0090570" &&
513                                     spec.Id != "M-0090565"
514                                 )
515                                 {
516                                     <li class="specification"><span class="label">@spec.Label</span> <span class="value">@spec.Value</span></li>
517                                 }
518                             }
519                         </ul>
520                         <a id="usedMachineRequestButton" class="button button-primary">
521                             <span class="text">@Translate("Translate_Prisforespoergsel")</span>
522                         </a>
523                     </div>
524                 </div>
525             </section>
526         }
527     }
528 }
529 string templatename = GetGlobalValue("Global:Pageview.LayoutTemplate").Replace(".cshtml", "").ToLower();
530
531 if (templatename == "pdf-used-machine")
532 {
533     double dHalfWay = Convert.ToDouble(productModel.Product.SpecificationList.Count() - 2) / 2;
534     int halfWay = (int)Math.Ceiling(dHalfWay);
535     halfWay = halfWay;
536
537     <section id="pdfSpecifications" class="section section-white">
538         <div class="content">
539             <div class="specifications">
540                 <ul>
541                     <li class="specification">
542                         <span class="label">@Translate("Translate_Intern_nummer")</span>
543                         <span class="value">@productModel.Product.Id</span>
544                     </li>
545                     <li class="specification">
546                         <span class="label">@Translate("Translate_Aargang")</span>
547                         <span class="value">@productModel.Product.Year</span>
548                     </li>
549                     @for (int a = 0; a < halfWay; a++)
550                     {
551                         <li class="specification">
552                             <span class="label">@productModel.Product.SpecificationList[a].Label</span>
553                             <span class="value">@productModel.Product.SpecificationList[a].Value</span>
554                         </li>
555                     }
556                 </ul>
557                 <ul>
558                     @for (int a = halfWay; a < productModel.Product.SpecificationList.Count(); a++)
559                     {
560                         <li class="specification">
561                             <span class="label">@productModel.Product.SpecificationList[a].Label</span>
562                             <span class="value">@productModel.Product.SpecificationList[a].Value</span>
563                         </li>
564                     }
565                 </ul>
566             </div>
567 </div>

```

```
</section>
569     }
570     }
571     else
572     {
573         <text>@RenderSnippet("UsedMachineAllSpecifications")</text>
574     }
575     <div id="ecomContent">@GetValue("DwContent(ecomContent)")</div>
576
577 @SnippetStart("csstop")
578 <style>
579     html {
580         margin: 0;
581     }
582
583     body {
584         background: none;
585         padding: 14mm 14mm 0 14mm;
586         margin: 0;
587         color: #000;
588         font-family: Arial, Helvetica, sans-serif;
589     }
590
591     #navigation,
592     #modallanguages,
593     #modalSearch,
594     #header:before,
595     #header:after,
596     #header .specifications *,
597     #usedMachineRequestButton,
598     .gallery .gallery-small,
599     #usedMachineRequestButton,
600     #usedMachineRequestForm,
601     #usedMachineSavePdf,
602     #allSpecifications h2,
603     .social,
604     #footerNavigation,
605     #footer:before,
606     #footer br,
607     #footer .social,
608     #allSpecifications {
609         display: none;
610     }
611
612     #burgerNav:after,
613     #burgerNavigation ul,
614     .section.section-white {
615         background: none;
616     }
617
618     #header .specifications .header {
619         display: block;
620     }
621
622     #header .header,
623     h1 {
624         color: #000;
625         font-size: 24pt;
626         display: block;
627         font-family: Arial, Helvetica, sans-serif;
628     }
629
630     #header .content,
631     .section {
632         text-align: left;
633     }
634
635     .section,
636     .gallery {
637         padding: 0;
638     }
639
640     #productGalleryImageMain {
641         margin-bottom: 5mm;
642     }
643
644     #productGalleryImageMain h1 {
645         margin-bottom: 5mm;
646     }
647
648     #productGalleryImageMain,
649     .gallery .gallery-large {
650         width: 100%;
651     }
652
653     #productGalleryImageMain img,
654     .gallery .gallery-large img {
655         height: auto;
656         width: auto;
657         max-width: 100%;
658         max-height: 142mm;
659     }
660
661     #pdfSpecifications ul {
662         width: 50%;
663         float: left;
664         padding: 0;
665         font-size: 11pt;
666         line-height: 1.08;
667         margin-left: -5mm;
668         margin-right: -5mm;
669     }
670
671     #pdfSpecifications ul + ul {
672         margin-left: 10mm;
673     }
674
675     #pdfSpecifications li {
676         display: block;
677         width: 100%;
678         float: left;
679         padding-bottom: 2mm;
680         padding-left: 5mm;
681         padding-right: 5mm;
682         overflow: auto;
683     }
684
685     #pdfSpecifications .label {
686         display: inline-block;
687         float: left;
688     }
689
690     #pdfSpecifications .value {
691         display: inline-block;
692         float: right;
693     }
694
695     #footer {
696         background: none;
697         font-size: 7pt;
698         height: 7mm;
699         position: absolute;
700         top: 300mm;
701         left: auto;
702         /*right: 115px;*/
703         right: 14mm;
704         overflow: hidden;
705         line-height: 1.3;
706         color: #000;
707     }
708
709     #footer .content {
710         display: block;
711         margin: 0;
712     }
```

```
width: 100%;
max-width: none;
}
}
#footer .header {
display: inline;
text-transform: none;
font-size: 7pt;
padding: 0;
margin: 0;
line-height: 1.3;
color: #000;
font-family: Arial, Helvetica, sans-serif;
font-weight: bold;
}
#footer .header:after {
content: ":";
display: inline;
position: static;
height: auto;
width: auto;
background: none;
bottom: auto;
left: auto;
font-family: Arial, Helvetica, sans-serif;
font-weight: bold;
}
#footer p {
display: inline;
}
#footer-logo {
position: absolute;
top: 300mm;
/*left: 115px;*/
left: 14mm;
width: 39.2mm;
height: 7mm;
z-index: 999999;
}
#footer-logo img {
width: 100%;
height: 100%;
}
</style>
@SnippetEnd("csstop")
}
@SnippetStart("UsedMachineBeforeFooter")
<div id="footer-logo"></div>
@SnippetEnd("UsedMachineBeforeFooter")
@RenderSnippet("UsedMachineBeforeFooter")
<div id="footer" class="section section-greyextradark">
<div class="content">
<nav id="footerNavigation">
<span class="header">Menu</span>
@GetValue("DwNavigation(footerNav)")
</nav>
<foreach (var departmentItem in GetLoop("Item.Area.Departments"))
{
@SnippetStart("ContactHeaderDepartments")
<li class="department">
<h2>@departmentItem.GetString("Item.Area.Departments.Header")</h2>
<ul class="infoList">
<li class="info">
@departmentItem.GetString("Item.Area.Departments.Name")
<br>
@departmentItem.GetString("Item.Area.Departments.Address")
<br>
@departmentItem.GetString("Item.Area.Departments.Zipcode") @departmentItem.GetString("Item.Area.Departments.City")
</li>
<li class="info">
Tlf.: <a href='tel:@departmentItem.GetString("Item.Area.Departments.Phone")'>@departmentItem.GetString("Item.Area.Departments.Phone")</a>
<br>
<a href='mailto:@departmentItem.GetString("Item.Area.Departments.Email")'>@departmentItem.GetString("Item.Area.Departments.Email")</a>
</li>
</ul>
</li>
@SnippetEnd("ContactHeaderDepartments")
<div id="@departmentItem.GetString(" item.area.departments.id_1")"="">
<span class="header">@departmentItem.GetString("Item.Area.Departments.Header")</span>
<p>
@departmentItem.GetString("Item.Area.Departments.Name")
<br>
@departmentItem.GetString("Item.Area.Departments.Address")
<br>
@departmentItem.GetString("Item.Area.Departments.Zipcode") @departmentItem.GetString("Item.Area.Departments.City")
<br>
@departmentItem.GetString("Item.Area.Departments.Phone")
</p>
</div>
}
</div>
<div class="content">
<div class="social">
<span class="header">@Translate("Translate_Foelg_os")</span>
@if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-facebook.svg"))) && !string.IsNullOrEmpty(GetString("Item.Area.
{
<a href='@GetString("Item.Area.Facebook")' class="icon icon-facebook" target="_blank">
@System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-facebook.svg"))
</a>
}
@if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-linkedin.svg"))) && !string.IsNullOrEmpty(GetString("Item.Area.
{
<a href='@GetString("Item.Area.Linkedin")' class="icon icon-linkedin" target="_blank">
@System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-linkedin.svg"))
</a>
}
@if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-youtube.svg"))) && !string.IsNullOrEmpty(GetString("Item.Area.
{
<a href='@GetString("Item.Area.YouTube")' class="icon icon-youtube" target="_blank">
@System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-youtube.svg"))
</a>
}
}
</div>
</div>
</div>
@SnippetEnd("Footer")
</div>
<div id="pageOverlay"></div>
<div id="modalOverlay"></div>
<div id="modalSearch" class="modal">
<div class="modal-content-wrap">
<div class="content">
<form method="get" action="/Default.aspx?Id=@GetString("Item.Area.SearchPageId") >
<div class="input-wrap input-wrap-large">
<input type="hidden" name="id" value=@GetString("Item.Area.SearchPageId") >
<input type="text" name="q" placeholder=@Translate("Translate_Soeg_Placeholder") >
<button type="submit" class="button button-primary"><span class="text">@Translate("Translate_Soeg")</span></button>
</div>
</form>
</div>
@if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-close.svg")))
{
<span class="icon icon-close button-close">
@System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-close.svg"))
</span>
}
</div>
</div>
<div id="modalLanguages" class="modal">
<div class="modal-content-wrap">
<div class="content">
@foreach (var w1 in GetLoop("WebsiteLanguages"))
```

```
859     {
860     {
861         <span class="language-current">
862             @Translate("Translate_Language_selector_" + w1.GetString("Culture"))
863         </span>
864     }
865     else if (!string.IsNullOrEmpty(w1.GetString("PrimaryDomain")))
866     {
867         string languageURL = "https://" + w1.GetString("PrimaryDomain");
868
869         @SnippetStart("OtherLanguages")
870         <a class="language-other" href=@languageURL'><span>@Translate("Translate_Language_selector_" + w1.GetString("Culture") + "_short")</span></a>
871         @SnippetEnd("OtherLanguages")
872     }
873 }
874 @RenderSnippet("OtherLanguages")
875 </div>
876 @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-close.svg")))
877 {
878     <span class="icon icon-close button-close">
879         @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-close.svg"))
880     </span>
881 }
882 </div>
883 </div>
884 @RenderSnippet("contentbottom")
885 <script src="/Files/Templates/Designs/ncnielsen/js/ncnielsen.min.js?v=@jsEditDate' async="" defer=""></script>
886 @if (System.Web.HttpContext.Current.Request.Cookies["ncnielsen-styles"] == null)
887 {
888     System.Web.HttpContext.Current.Response.Cookies["ncnielsen-styles"].Value = "1";
889     System.Web.HttpContext.Current.Response.Cookies["ncnielsen-styles"].Expires = DateTime.Now.AddDays(100);
890 }
891 <noscript id="deferred-styles">
892     <link rel="stylesheet" href="/files/templates/designs/ncnielsen/css/ncnielsen.min.css" media="screen">
893 </noscript>
894 <script>
895     var loadDeferredStyles = function () {
896         var addStylesNode = document.getElementById("deferred-styles");
897         var replacement = document.createElement("div");
898
899         replacement.innerHTML = addStylesNode.textContent;
900         document.body.appendChild(replacement)
901         addStylesNode.parentElement.removeChild(addStylesNode);
902     };
903
904     var raf = requestAnimationFrame || mozRequestAnimationFrame || webkitRequestAnimationFrame || msRequestAnimationFrame;
905
906     if (raf) raf(function () { window.setTimeout(loadDeferredStyles, 0); });
907     else window.addEventListener('load', loadDeferredStyles);
908 </script>
909 }
910 </body>
911 </html>
912
```